

Guest ChargePro Battery Chargers

**CHARGE
PRO**

ChargePro Battery Chargers

2



2608A 6 Amp Single Output On-Board Battery Charger

12V	Total Amps:	6
	Outputs:	1
	Amps per out:	6
	Battery System:	12V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' cord w/ ConnectCharge plug
	DC:	4' with ring terminals
	Dimensions:	3.50" x 6.40" x 2.25"
	Weight:	4.0 Lbs.
	OEM Bulk Part #:	2608A-B



2607A 6 Amp Dual Output On-Board Battery Charger

12V	Total Amps:	6
	Outputs:	2
12V	Amps per out:	3/3
	Battery System:	12V+12V or 24V
OR		
24V	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' cord w/ Connect Charge plug
	DC:	4' with ring terminals
	Dimensions:	3.50" x 6.40" x 2.25"
	Weight:	4.0 Lbs.
	OEM Bulk Part #:	2607A-B



2610A 10 Amp Dual Output On-Board Battery Charger

12V	Total Amps:	10
	Outputs:	2
12V	Amps per out:	5/5
	Battery System:	12V+12V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	Studs
	DC:	Studs
	Dimensions:	5.50" x 7.75" x 2.42"
	Weight:	5.6 Lbs.
	OEM Bulk Part #:	2610A-B



Guest ChargePro Battery Chargers



ChargePro Battery Chargers

2



2611A 10 Amp Dual Output On-Board Battery Charger

- 12V** Total Amps: **10**
 - Outputs: **2**
 - Amps per out: **5/5**
 - Battery System: 12V+12V or 24V
 - Input Voltage: 100-130V AC/60Hz
 - Output Voltage: 12V
 - AC: 6' cord w/ Connect Charge plug
 - DC: 4' with ring terminals
 - Dimensions: 5.50"x 7.75"x 2.42"
 - Weight: 5.6 Lbs.
 - OEM Bulk Part #: 2611A-B
- OR
- 24V**



2613A 15 Amp Triple Output On-Board Battery Charger

- 12V** Total Amps: **15**
 - Outputs: **3**
 - Amps per out: **5/5/5**
 - Battery System: 12V+12V+12V or 24V + 12V
 - Input Voltage: 100-130V AC/60Hz
 - Output Voltage: 12V
 - AC: 6' cord w/Connect Charge plug
 - DC: 4'/4'/6' with ring terminals
 - Dimensions: 7.0" x 9.60" x 2.60"
 - Weight: 8.0 Lbs.
- OR
- 24V**



2620A 20 Amp Dual Output On-Board Battery Charger

- 12V** Total Amps: **20**
- Outputs: **2**
- Amps per out: **10/10**
- Battery System: 12V+12V or 24V
- Input Voltage: 100-130V AC/60Hz
- Output Voltage: 12V
- AC: 6' cord w/Connect Charge plug
- DC: 6' with ring terminals
- Dimensions: 7.0" x 9.60" x 2.63"
- Weight: 8.0 Lbs.


Guest ChargePro Marine Battery Chargers

2




2623A 25 Amp Triple Output On-Board Battery Charger

12V	Total Amps:	25
	Outputs:	3
12V	Amps per out:	10/5/10
	Battery System:	12V +12V+ 12V or 24V +12V
12V	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' cord w/Connect Charge plug
12V	DC:	6' with ring terminals
	Dimensions:	7.0" x 13.0" x 2.60"
24V	Weight:	13.0 Lbs.



2631A 30 Amp Triple Output On-Board Battery Charger

12V	Total Amps:	30
	Outputs:	3
12V	Amps per out:	10/10/10
	Battery System:	12V +12V+ 12V or 24V +12V or 36V
12V	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' cord w/Connect Charge plug
12V	DC:	6' with ring terminals
	Dimensions:	7.0" x 13.0" x 2.60"
24V	Weight:	13.0 Lbs.



2635-B 35 Amp Four Output On-Board Battery Charger

12V	12V	Total Amps:	35
		Outputs:	4
12V	12V	Amps per out:	5/10/10/10
		Battery System:	12V+12V +12V +12V or 24V +12V +12V or 36V +12V
	OR		
	24V	Input Voltage:	100-130V AC/60Hz
12V	12V	Output Voltage:	12V
	OR	AC:	6' cord w/Connect Charge
36V	12V	DC:	6' with ring terminals
		Dimensions:	6.50" x 16.10" x 2.50"
		Weight:	24.0 Lbs.



2611A-1-B 10 Amp Single Output On-Board Battery Charger

12V	Total Amps:	10
	Outputs:	1
	Amps per out:	10
	Battery System:	12V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' cord w/ Connect Charge
	DC:	4' with ring terminals
	Dimensions:	5.50" x 7.75" x 2.42"
	Weight:	5.6 Lbs.

Guest Cruising Series Marine Battery Chargers

MARINE BATTERY CHARGERS



Cruising Series Battery Chargers

Guest Cruising Chargers are made specifically for a coastal, blue water environment where top quality, rugged equipment is required. They feature individual circuit boards, which provide each battery its own specific charging circuit. The benefit is a well-designed charging system that protects your battery investment. Guest Cruising Chargers also function as a continuous 12 Volt power supply to run your DC accessories while at the dock.

- **Dedicated output per battery, each battery receives individual attention**
- **Provides different charging amperages as required by each battery**

2



2614A 15 Amp Dual Output On-Board Battery Charger

12V

Total Amps: **15**

Outputs: **2**

12V

Amps per out: **5/10**

Battery System: 12V+12V

Input Voltage: 100-130V AC/60Hz

Output Voltage: 12V

AC: Studs

DC: Studs

Dimensions: 2.92" x 9.60" x 9.84"

Weight: 10.8 Lbs.



2622A 20 Amp Dual Output On-Board Battery Charger

12V

Total Amps: **20**

Outputs: **2**

12V

Amps per out: **10/10**

Battery System: 12V+12V

Input Voltage: 100-130V AC/60Hz

Output Voltage: 12V

AC: Studs

DC: Studs

Dimensions: 2.92" x 9.60" x 9.84"

Weight: 10.8 Lbs.



2621A 20 Amp Triple Output On-Board Battery Charger

12V

Total Amps: **20**

Outputs: **3**

12V

Amps per out: **5/5/10**

Battery System: 12V + 12V + 12V

Input Voltage: 100-130V AC/60Hz

Output Voltage: 12V

AC: Studs

DC: Studs

Dimensions: 2.92" x 9.60" x 9.84"

Weight: 10.8 Lbs.

Guest Cruising Series Marine Battery Chargers

2



2632A 30 Amp Triple Output On-Board Battery Charger

12V	Total Amps:	30
	Outputs:	3
12V	Amps per out:	5/5/20
	Battery System:	12V + 12V + 12V
12V	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	Studs
	DC:	Studs
	Dimensions:	2.92" x 12.96" x 9.84"
	Weight:	15.6 Lbs.



2633A 30 Amp Dual Output On-Board Battery Charger

12V	Total Amps:	30
	Outputs:	2
12V	Amps per out:	10/20
	Battery System:	12V + 12V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	Studs
	DC:	Studs
	Dimensions:	2.92" x 12.96" x 9.84"
	Weight:	15.6 Lbs.

2722-B 30 Amp Dual Output On-Board Battery Charger



12V	Total Amps:	30
	Outputs:	2
12V	Amps per out:	15/15
	Battery System:	12V + 12V or 24V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	Studs
	DC:	6' w/ ring terminals
	Dimensions:	6.50" x 9.50" x 2.75"
	Weight:	12.0 Lbs.

Guest Maintainers/Chargers

Maintainers/Chargers



2602 .5 Amp Battery Maintainer

12V	Total Amps:	0.5
	Outputs:	1
	Amps per out:	500mA/250mA
	Battery System:	12V
	Input Voltage:	100-130V AC/60 Hz
	Output Voltage:	12V
	AC:	6' AC cord w/ standard plug
	DC:	4' with battery clips
	Dimensions:	1.50" x 3.0" x 2.0"
	Weight:	0.5 Lbs.



2602A-12 2 Amp Battery Charger

12V	Total Amps:	2
	Outputs:	1
	Amps per out:	2
	Battery System:	12V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' cord w/Connect Charge plug
	DC:	4' with ring terminals
	Dimensions:	2.75" x 4.50" x 1.50"
	Weight:	2.0 Lbs.
	OEM Bulk Part#:	2602A-12-B



2603 3 Amp Battery Charger

12V	Total Amps:	3
	Outputs:	1
	Amps per out:	3
	Battery System:	12V
	Input Voltage:	100-130V AC/60Hz
	Output Voltage:	12V
	AC:	6' AC cord with standard plug
	DC:	4' with battery clips
	Dimensions:	3.10" x 3.50" x 2.34"
	Weight:	1.0 Lbs.
	OEM Bulk Part #:	2603-B



2602A-24-B 2 Amp Battery Charger

24V	24V version, same specifications as 2602A-12 described above For 24V Use only.
------------	--

Guest Portable Chargers

Portable Chargers

2



2606A 6 Amp Battery Charger

Total Amps: **6**
 Outputs: **1**
 Amps per out: **6**
 Battery System: 12V
 Input Voltage: 100-130V AC/60Hz
 Output Voltage: 12V
 AC: 6' cord w/ standard plug
 DC: 4' battery clips
 Dimensions: 5.5" x 5.0" x 2.4"
 Weight: 3.5 Lbs.
 OEM Bulk Part #: 2606A-B



2612A 10 Amp Battery Charger

Total Amps: **10**
 Outputs: **1**
 Amps per out: **10**
 Battery System: 12V
 Input Voltage: 100-130V AC/60Hz
 Output Voltage: 12V
 AC: 6' cord w/standard plug
 DC: 4' batteryclips
 Dimensions: 7.5" x 5.0" x 2.4"
 Weight: 4.5 Lbs.





Guest International Marine Battery Chargers

International Marine Battery Chargers

2614A-230 15 Amp Battery Charger

Total Amps: **15**
Outputs: **2**
Amps per out: **5/10**
Battery System: 12V +12V
Input Voltage: 230V AC50/60Hz
Output Voltage: 12V
AC: Studs
DC: Studs
Dimensions: 2.92" x 9.60" x 9.84"
Weight: 10.8 Lbs.

2632A-230 15 Amp Battery Charger

Total Amps: **30**
Outputs: **3**
Amps per out: **5/5/20**
Battery System: 12V +12V +12V
Input Voltage: 230V AC50/60Hz
Output Voltage: 12V
AC: Studs
DC: Studs
Dimensions: 2.92" x 12.96" x 9.84"
Weight: 15.6 Lbs.

2

2633A-230 20 Amp Battery Charger

Total Amps: **30**
Outputs: **2**
Amps per out: **10/20**
Battery System: 12V +12V
Input Voltage: 230V AC50/60Hz
Output Voltage: 12V
AC: Studs
DC: Studs
Dimensions: 2.92" x 12.96" x 9.84"
Weight: 15.6 Lbs.

2621A-230 20 Amp Battery Charger

Total Amps: **20**
Outputs: **3**
Amps per out: **5/5/10**
Battery System: 12V +12V +12V
Input Voltage: 230V AC50/60Hz
Output Voltage: 12V
AC: Studs
DC: Studs
Dimensions: 2.92" x 9.60" x 9.84"
Weight: 10.8 Lbs.

2622A-230 20 Amp Battery Charger

Total Amps: **20**
Outputs: **2**
Amps per out: **10/10**
Battery System: 12V +12V
Input Voltage: 230V AC50/60Hz
Output Voltage: 12V
AC: Studs
DC: Studs
Dimensions: 2.92" x 9.60" x 9.84"
Weight: 10.8 Lbs.